


EXRT compact 2-bolt round flange bearing


Double spherical roller bearing + adapter



Typ	d		B	C	T	H2	J	L	H	N	Grease hole	Basic load rating in KN		Limiting speed RPM	Axial movement	Seal seat
	Metric	Imperial										Dynamic	Static			
EXRT-024	23,81	15/16	25	44	54	12		73			M6	59	62	6300	3,5	42x7
EXRT-025	25	62/63														
EXRT-A25	25,4	1														
EXRT-028	28,57	1 1/8	26	48	60	12		84			M6	81	88	5300	3,5	47x7
EXRT-030	30	1 2/11														
EXRT-A30	30,16	1 3/16														
EXRT-032	31,75	1 1/4	28	50	60	12	117,5	93	136	10,2	M6	88	100	4800	3,5	52x7
EXRT-A35	34,9	1 3/8														
EXRT-035	35	1 17/45														
EXRT-037	36,51	1 7/16	28	51	62	12	117,5	98	136	10,2	M6	95	105	4500	3,5	62x7
EXRT-038	38,1	1 1/2														
EXRT-040	40	1 23/40														
EXRT-043	42,86	1 11/16	32	57	69	12		106			M6	100	120	4000	4	62x7
EXRT-044	44,45	1 3/4														
EXRT-045	45	1 3/4														
EXRT-049	49,2	1 15/16	34	60	73	12		114			M6	120	140	3800	4	72x7
EXRT-050	50	1 31/32														
EXRT-051	50,8	2														

EXRE compact 2-bolt round flange bearing


Single row spherical roller bearing + adapter



Typ	d		B	C	T	H2	J	L	H	N	Grease hole	Basic load rating in KN		Limiting speed RPM	Axial movement	Seal seat
	Metric	Imperial										Dynamic	Static			
EXRE-024	23,81	15/16	25	44	54	12		73			M6	50	55	6300	3,5	42x7
EXRE-025	25	62/63														
EXRE-A25	25,4	1														
EXRE-028	28,57	1 1/8	26	48	60	12		84			M6	68	78	5300	3,5	47x7
EXRE-030	30	1 2/11														
EXRE-A30	30,16	1 3/16														
EXRE-032	31,75	1 1/4	28	50	60	12	117,5	93	136	10,2	M6	77	88	4800	3,5	52x7
EXRE-A35	34,9	1 3/8														
EXRE-035	35	1 17/45														
EXRE-037	36,51	1 7/16	28	51	62	12	117,5	98	136	10,2	M6	80	95	4500	3,5	62x7
EXRE-038	38,1	1 1/2														
EXRE-040	40	1 23/40														
EXRE-043	42,86	1 11/16	32	57	69	12		106			M6	83	102	4000	4	62x7
EXRE-044	44,45	1 3/4														
EXRE-045	45	1 3/4														
EXRE-049	49,2	1 15/16	34	60	73	12		114			M6	102	125	3800	4	72x7
EXRE-050	50	1 31/32														
EXRE-051	50,8	2														

XRTC compact 2-bolt round flange bearing

Double spherical cylindrical roller bearing




Used tolerance for shaft diameter is according ISO Passing System m5. With a wider passing, loctite is recommended.

Typ	d		B	C	T	H2	J	L	H	N	Grease hole	Basic load rating in KN		Limiting speed	Axial movement	Seal seat
	Metric	Imperial										Dynamic	Static	RPM		
EXRTC-025	30	1 2/11	25	44	54	12		73			M6	59	62	6300	3,5	42x7
EXRTC-030	35	1 17/45	26	48	60	12		84			M6	81	88	5300	3,5	47x7
EXRTC-035	40	1 23/40	28	50	60	12	117,5	93	136	10,2	M6	88	100	4800	3,5	52x7
EXRTC-040	45	1 3/4	28	51	62	12	117,5	98	136	10,2	M6	95	105	4500	3,5	62x7
EXRTC-045	50	1 31/32	32	57	69	12		106			M6	100	120	4000	4	62x7
EXRTC-050	55	2 1/6	34	60	73	12		114			M6	120	140	3800	4	72x7

XREC compact 2-bolt round flange bearing

Single row spherical cylindrical roller bearing




Used tolerance for shaft diameter is according ISO Passing System m5. With a wider passing, loctite is recommended.

Typ	d		B	C	T	H2	J	L	H	N	Grease hole	Basic load rating in KN		Limiting speed	Axial movement	Seal seat
	Metric	Imperial										Dynamic	Static	RPM		
EXREC-025	30	1 2/11	25	44	54	12		73			M6	50	55	6300	3,5	42x7
EXREC-030	35	1 17/45	26	48	60	12		84			M6	68	78	5300	3,5	47x7
EXREC-035	40	1 23/40	28	50	60	12	117,5	93	136	10,2	M6	77	88	4800	3,5	52x7
EXREC-040	45	1 3/4	28	51	62	12	117,5	98	136	10,2	M6	80	95	4500	3,5	62x7
EXREC-045	50	1 31/32	32	57	69	12		106			M6	83	102	4000	4	62x7
EXREC-050	55	2 1/6	34	60	73	12		114			M6	102	125	3800	4	72x7

XRTV compact 2-bolt round flange bearing


Double spherical roller bearing with set screw mounting



Typ	d		B	C	T	H2	J	L	H	N	Grease hole	Basic load rating in KN		Limiting speed RPM	Axial movement	Seal seat
	Metric	Imperial										Dynamic	Static			
EXRTV-024	23,81	15/16	25	44	54	12		73			M6	59	62	6300	3,5	42x7
EXRTV-025	25	62/63														
EXRTV-A25	25,4	1														
EXRTV-028	28,57	1 1/8	26	48	60	12		84			M6	81	88	5300	3,5	47x7
EXRTV-030	30	1 2/11														
EXRTV-A30	30,16	1 3/16														
EXRTV-032	31,75	1 1/4	28	50	60	12	117,5	93	136	10,2	M6	88	100	4800	3,5	52x7
EXRTV-A35	34,9	1 3/8														
EXRTV-035	35	1 17/45														
EXRTV-037	36,51	1 7/16	28	51	62	12	117,5	98	136	10,2	M6	95	105	4500	3,5	62x7
EXRTV-038	38,1	1 1/2														
EXRTV-040	40	1 23/40														
EXRTV-043	42,86	1 11/16	32	57	69	12		106			M6	100	120	4000	4	62x7
EXRTV-044	44,45	1 3/4														
EXRTV-045	45	1 3/4														
EXRTV-049	49,2	1 15/16	34	60	73	12		114			M6	120	140	3800	4	72x7
EXRTV-050	50	1 31/32														
EXRTV-051	50,8	2														

XREV compact 2-bolt round flange bearing

Single row spherical roller bearing with set screw mounting



Typ	d		B	C	T	H2	J	L	H	N	Grease hole	Basic load rating in KN		Limiting speed RPM	Axial movement	Seal seat
	Metric	Imperial										Dynamic	Static			
EXREV-024	23,81	15/16	25	44	54	12		73			M6	50	55	6300	3,5	42x7
EXREV-025	25	62/63														
EXREV-A25	25,4	1														
EXREV-028	28,57	1 1/8	26	48	60	12		84			M6	68	78	5300	3,5	47x7
EXREV-030	30	1 2/11														
EXREV-A30	30,16	1 3/16														
EXREV-032	31,75	1 1/4	28	50	60	12	117,5	93	136	10,2	M6	77	88	4800	3,5	52x7
EXREV-A35	34,9	1 3/8														
EXREV-035	35	1 17/45														
EXREV-037	36,51	1 7/16	28	51	62	12	117,5	98	136	10,2	M6	80	95	4500	3,5	62x7
EXREV-038	38,1	1 1/2														
EXREV-040	40	1 23/40														
EXREV-043	42,86	1 11/16	32	57	69	12		106			M6	83	102	4000	4	62x7
EXREV-044	44,45	1 3/4														
EXREV-045	45	1 3/4														
EXREV-049	49,2	1 15/16	34	60	73	12		114			M6	102	125	3800	4	72x7
EXREV-050	50	1 31/32														
EXREV-051	50,8	2														

This exchange guide does not claim to be complete. There are many more bearing blocks whose mounting dimensions are interchangeable with Extreme Bearing. [don't see what you are looking for? Please send us an E-mail and we will contact you immediately.](#)

[illegible]